



文書番号: PCN\_J\_DIN\_1410  
2014年10月31日

お客様各位

東京エレクトロンデバイス株式会社  
パネトロン(株) プロダクト営業推進部  
神奈川県横浜市神奈川区金港町 1-4 横浜イースタワ

## ERNI 社 DIN41612 コネクタ 材料変更のご連絡

拝啓、貴社益々ご清栄のこととお慶び申し上げます。又、平素は格別なるご愛顧を頂き誠にありがとうございます。

下記 DIN コネクタ製品につきまして、変更のご連絡を致します。お手数ですがご確認の程どうぞ宜しくお願い致します。

今後ともご愛顧の程、宜しくお願い申し上げます。

敬 具

### 記

メーカー名: ERNI Electronics GmbH & Co. KG (ドイツア二社)

対象製品: DIN41612 / IEC60603-2 CONNECTORS / THR タイプ

変更内容:ハウジング プラスチック材料の変更

<変更前> PA46

<変更後> PA10T

\* 適用規格・機能・性能・信頼性・嵌合互換性・基板実装レイアウト の変更はございません。

\* ハウジングの色合いが異なる場合がございます。

変更理由: 難燃性、吸湿性、CTI の向上

変更時期: 2014 年 7 月 30 日メーカー出荷以降 ランニングチェンジ。

\* 本変更に伴う 製品型名の変更はございません。

弊社販売実績品

型名	製品種別
384063	Male Type C (THR)


本件お問合せ先:

販売関連: (弊社営業窓口までお問合せ下さい。)

製品関連: パネトロン(株) プロダクト営業推進部 田中 敦

Tel:045-443-4610 / E-Mail: [erni@teldevice.co.jp](mailto:erni@teldevice.co.jp)

以 上

PCN	Product Change Notification	De-14-08-0166	
Product	DIN 41612 / IEC 60603-2	Date of Publication:	
		30.07.2014	

**Product:** DIN 41612 / IEC 60603-2 connectors (THR termination)  
Female Type B, B/2, B/3, C, C/2, C/3, CD, E48, Q/3, R, R/2, R/3, RD  
Male Type B, B/2, C, C/2, C/3, CD, D32, E48, E160, M, Q/2, Q/3, R, R/2, R/3, RD

**Type of Change:** major (A) change

### Reason of Change:

Improvement of connector properties by the change of the plastic material.


### Alternate product replacement:

n/a

**Originator:** Darius Clement/MK/Vertrieb/EE/de/ERNI , +49 7166 50-369, [darius.clement@erni.de](mailto:darius.clement@erni.de)

Valued Customer,

in order to satisfy high customer requirements the plastic material of the above listed DIN 41612 / IEC 60603-2 connectors with THR termination has changed from PA 46GF30 to PA 10T30GF.  
The advantages of the new material are in particular improved Fire Protection Properties according to UL-Standard, better Moisture Sensitivity Level (MSL) and an excellent Comparative Tracking Index (CTI) of 600.



This material change applies immediately and will be carried out as a running change without deadline.  
The part numbers remain unchanged.

This change will not affect reliability of product and has no impact on form, fit or function of these connectors.

### Products Affected / Types

DIN 41612 / IEC 60603-2 connectors (THR termination)  
Female Type B, B/2, B/3, C, C/2, C/3, CD, E48, Q/3, R, R/2, R/3, RD  
Male Type B, B/2, C, C/2, C/3, CD, D32, E48, E160, M, Q/2, Q/3, R, R/2, R/3, RD

**Part.-No:**

### Reference Documents available at :

<http://www.erni.com>

Additional information, samples etc., on request

**PCN Revision History:**

Date of Revision:	Revision Number:	Reason: