

12500 TI Boulevard, MS 8640, Dallas, Texas 75243

Notification# 20210628002.0 Datasheet for TMS320F2803x Information Only

Date: July 19, 2021

To: TOKYO ELECTRON DEVICE (DSTR) PCN

Dear Customer:

This is an information-only announcement of a change to the datasheet for a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Team (PCN www admin team@list.ti.com).

Sincerely,

PCN Team SC Business Services

Information Only Attachments

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
TMS320F28035RSHS	null
TMS320F28032PAGT	null
TMS320F28035PNS	null
TMS320F28034PNT	null
TMS320F28035PNT	null
TMS320F28030PAGQ	null
TMS320F28034PAGQ	null
TMS320F28034PNQ	null
TMS320F28035PAGT	null

Technical details of this Product Change follow on the next page(s).

	20210628002	0	PCN Date:	July 19	9, 202	21
Title: Datasheet for TMS320F2803x						
Customer Contact:						
Change Type:		1				
Assembly Site					Bump Site	
Assembly Process					Bump Material	
Assembly Material			per change			Bump Process
Mechanical SpecifiPacking/Shipping/		Test Site	200			Fab Site
	Labelling	peling Test Process Wafer Fab Material Wafer Fab Process				
Notification Details						
Description of Change:						
exas Instruments Inc The product datasheet					ificatio	on.
he following change h						
	TM6330E38030	TM6330E390	30 O1 TM\$330E3	2031 TME	320E20	031-Q1, TMS320F28032
Min on						031-Q1, TM\$320F28032 034, TM\$320F28034-Q1
TEXAS INSTRUMENTS				TMS	320F28	035, TMS320F28035-Q1
- INSTRUMENTS				SPR5084	IP - APRI	L 2009 – REVISED JUNE 2021
Changes from March 3,	2021 to June 11, 2	2021 (from Re	evision O (Marc	n 2021) to	Revis	sion P
(June 2021))						Page
Table 5-1, Device Com Section 7.4, Absolute	nparison: Added de	vice numbers	to Temperature	options se	ection	6
 Section 7.1, Absolute I Section 7.2, ESD Ratio 						
 Section 7.2, ESD Ration 7.3, ESD Ration 7.3, ESD Ration 7.3 	ngs – Automotive: (ngs – Commercial:	Updated table	2			21
 Section 8.1.10, Securi 	ty: Updated section	1				44
 Section 10.2, Tools an 						
Section 10.3, Documentation Support: Updated section						
ne datasheet number	will be changing	J.				
	will be changing	J.	Change	From:		Change To:
Device Family	will be changing	J.	Change SPRS58			Change To: SPRS584P
Device Family TMS320F2803x			SPRS58	40		
Device Family TMS320F2803x hese changes may be	e reviewed at th	e datasheet	SPRS58	40		
Device Family TMS320F2803x hese changes may be	e reviewed at th	e datasheet	SPRS58	40		
Device Family TMS320F2803x hese changes may be	e reviewed at th	e datasheet	SPRS58	40		
Device Family TMS320F2803x hese changes may be ttp://www.ti.com/pro	e reviewed at th	e datasheet	SPRS58	40		
Device Family TMS320F2803x hese changes may be ttp://www.ti.com/pro	e reviewed at the	e datasheet <u>8030</u>	SPRS58	40		
Device Family TMS320F2803x These changes may be ttp://www.ti.com/pro	e reviewed at the oduct/TMS320F2	e datasheet 8030 stics.	SPRS58	4O d.	(posi	SPRS584P
Device Family TMS320F2803x These changes may be ttp://www.ti.com/pro Reason for Change: To accurately reflect decenticipated impact of	e reviewed at the oduct/TMS320F2	e datasheet 8030 stics. unction, Q	SPRS58	40 d.		SPRS584P
Device Family TMS320F2803x These changes may be obtained the changes may be obtained the change: The change of th	e reviewed at the oduct/TMS320F2	e datasheet 8030 stics. unction, Q	SPRS58	40 d.		SPRS584P
Device Family TMS320F2803x hese changes may be ttp://www.ti.com/pro Reason for Change: to accurately reflect de the change impact of the conticipated impact on actual device.	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fithis is a specific	e datasheet 8030 stics. unction, Q	SPRS58 Inks provide	iability		SPRS584P
Device Family TMS320F2803x hese changes may be ttp://www.ti.com/pro Reason for Change: o accurately reflect do anticipated impact of anticipated impact. The actual device. Changes to product	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fithis is a specific	e datasheet 8030 stics. unction, Q	SPRS58 Inks provide	iability		SPRS584P
Device Family TMS320F2803x hese changes may be ttp://www.ti.com/pro Reason for Change: to accurately reflect de the change impact of the actual device. Changes to product lone.	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fithis is a specific	e datasheet 8030 stics. unction, Q	SPRS58 Inks provide	iability		SPRS584P
Device Family TMS320F2803x hese changes may be ttp://www.ti.com/pro Reason for Change: o accurately reflect do anticipated impact of anticipated impact. The actual device. Changes to product fone. Product Affected:	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fit is a specific identification	e datasheet 8030 stics. unction, Q ication char resulting f	SPRS58- I links provide uality or Rel age announcer	iability ment on	ly. Th	SPRS584P itive / negative): ere are no changes t
Device Family TMS320F2803x These changes may be obtained the second for Change: To accurately reflect description of the actual device. The actual device. TMS320F28030PAGQ	e reviewed at the duct/TMS320F2 evice characterists on Fit, Form, Fit is a specific identification TMS320F280	e datasheet 8030 stics. unction, Q ication char resulting f	SPRS58- Elinks provide uality or Rel nge announcer rom this PCI	iability ment on	ly. The	SPRS584P itive / negative): ere are no changes to TMS320F28035PAGQ
Device Family TMS320F2803x These changes may be obtained the second for Change: To accurately reflect do anticipated impact of anticipated impact. The actual device. TMS320F28030PAGQ TMS320F28030PAGS	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fit is a specific identification TMS320F286 TMS320F286	e datasheet 8030 stics. unction, Q ication char resulting f	SPRS58- Elinks provide uality or Relation announces from this PCI TMS320F280 TMS320F280	iability ment on i: 33PNT 33RSHS	ly. The	SPRS584P itive / negative): ere are no changes t TMS320F28035PAGQ TMS320F28035PAGS
Device Family TMS320F2803x These changes may be obtained the second for Change: To accurately reflect do anticipated impact of anticipated impact. The actual device. TMS320F28030PAGQ TMS320F28030PAGS	e reviewed at the duct/TMS320F2 evice characterists on Fit, Form, Fit is a specific identification TMS320F280	e datasheet 8030 stics. unction, Q ication char resulting f	SPRS58- Elinks provide uality or Rel nge announcer rom this PCI	iability ment on i: 33PNT 33RSHS	ly. The	SPRS584P itive / negative): ere are no changes to TMS320F28035PAGQ
Device Family TMS320F2803x These changes may be obtained the second for Change: To accurately reflect description of the actual device. The actual device. TMS320F28030PAGQ TMS320F28030PAGS TMS320F28030PAGT	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fit is a specific identification TMS320F286 TMS320F286	e datasheet 8030 stics. unction, Q ication char resulting f	SPRS58- Elinks provide uality or Relation announces from this PCI TMS320F280 TMS320F280	iability ment on i: 33PNT 33RSHS	ly. The	SPRS584P itive / negative): ere are no changes t TMS320F28035PAGQ TMS320F28035PAGS
Device Family TMS320F2803x These changes may be obtained in the complex of accurately reflect do anticipated impact of anticipated impact. TMS320F28030PAGS TMS320F28030PAGS TMS320F28030PAGT TMS320F28030PNQ	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Fit This is a specific identification TMS320F280 TMS320F280 TMS320F280	e datasheet 8030 stics. unction, Q ication char resulting f	SPRS58- Links provide uality or Rel nge announcer Tom this PCI TMS320F280 TMS320F280 TMS320F280	iability ment on is 33PNT 33RSHS 33RSHT 34PAGQ	ly. Th	SPRS584P itive / negative): ere are no changes t TMS320F28035PAGQ TMS320F28035PAGS TMS320F28035PAGT
Device Family TMS320F2803x These changes may be outp://www.ti.com/pro Reason for Change: To accurately reflect de changes to product he actual device. Changes to product None. Product Affected: TMS320F28030PAGQ TMS320F28030PAGT TMS320F28030PNQ TMS320F28030PNQ TMS320F28030PNS TMS320F28030PNT	e reviewed at the oduct/TMS320F2 evice characterists on Fit, Form, Form	e datasheet 8030 stics. unction, Q ication char resulting f 032PAGQ 032PAGS 032PAGT 032PNQ	SPRS58- Elinks provide uality or Relation announces from this PCI TMS320F280 TMS320F280 TMS320F280 TMS320F280	iability ment on 33PNT 33RSHS 33RSHT 34PAGQI	ly. The	SPRS584P itive / negative): ere are no changes t TMS320F28035PAGQ TMS320F28035PAGS TMS320F28035PAGT TMS320F28035PAGT

TMS320F28032RSHS

TMS320F28030RSHT

TMS320F28035PNT

TMS320F28034PNQ

TMS320F28031PAGQ	TMS320F28032RSHT	TMS320F28034PNS	TMS320F28035PNTR
TMS320F28031PAGS	TMS320F28033P1PAGS	TMS320F28034PNT	TMS320F28035RSHS
TMS320F28031PAGT	TMS320F28033PAGQ	TMS320F28034PNTR	TMS320F28035RSHT
TMS320F28031PNQ	TMS320F28033PAGS	TMS320F28034RSHS	TMS320F28031RSHS
TMS320F28031PNS	TMS320F28033PAGT	TMS320F28034RSHT	TMS320F28033PNS
TMS320F28031PNT	TMS320F28033PNQ	TMS320F28035NBPAGS	TMS320F28035NBPAGT

For questions regarding this notice, e-mails can be sent to the contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
WW PCN Team	PCN www admin_team@list.ti.com

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property

right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.