



**12500 TI Boulevard, MS 8640, Dallas, Texas 75243**

**PCN# 20210713001.1**

**Qualification of additional Fab site (RFAB), Datasheet update and additional  
Assembly site/BOM options for select LBC7 devices  
Change Notification / Sample Request**

**Date:** July 20, 2021

**To:** TOKYO ELECTRON DEVICE (DSTR) PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

Texas Instruments requires acknowledgement of receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If samples or additional data are required, requests must be received within **30 days** of this notification.

The changes discussed within this PCN will not take effect any earlier than the proposed first ship date on Page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice or to provide acknowledgement of this PCN, you may contact your local Field Sales Representative or the PCN Team ([PCN ww admin team@list.ti.com](mailto:PCN_admin_team@list.ti.com)). For sample requests or sample related questions, contact your local Field Sales Representative.

PCN Team  
SC Business Services

**20210713001.1**  
**Attachment: 1**

**Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

<b>DEVICE</b>	<b>CUSTOMER PART NUMBER</b>
TCA6416ARTWR	null
TCA9555RTWR	null
TPS22930AYZVT	null
TPS62177DQCT	null
TPS62175DQCR	null
TPS7A8801RTJT	null
TCA9539RTWR	null
TPS7A8701RTJT	null
TPS22930AYZVR	null
TPS7A8701RTJR	null
TPS62175DQCT	null
TPS62177DQCR	null

Technical details of this Product Change follow on the next page(s).

<b>PCN Number:</b>	20210713001.1		<b>PCN Date:</b>	July 20, 2021
<b>Title:</b>	Qualification of additional Fab site (RFAB), Datasheet update and additional Assembly site/BOM options for select LBC7 devices			
<b>Customer Contact:</b>	<a href="#">PCN Manager</a>		<b>Dept:</b>	Quality Services
<b>Proposed 1<sup>st</sup> Ship Date:</b>	Oct. 20, 2021	<b>Estimated Sample Availability:</b>	Date provided at sample request.	
<b>Change Type:</b>				
<input checked="" type="checkbox"/>	Assembly Site	<input checked="" type="checkbox"/>	Assembly Process	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Design	<input checked="" type="checkbox"/>	Electrical Specification	<input type="checkbox"/>
<input type="checkbox"/>	Test Site	<input checked="" type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>
<input type="checkbox"/>	Wafer Bump Site	<input type="checkbox"/>	Wafer Bump Material	<input type="checkbox"/>
<input checked="" type="checkbox"/>	Wafer Fab Site	<input checked="" type="checkbox"/>	Wafer Fab Materials	<input type="checkbox"/>
		<input type="checkbox"/>	Part number change	

### PCN Details

#### Description of Change:

Texas Instruments is pleased to announce the qualification of an additional fab (RFAB) and assembly (CDAT) site/BOM options for selected devices as listed below in the product affected section.

Current Site			Additional Site		
Current Fab Site	Process	Wafer Diameter	Additional Fab Site	Process	Wafer Diameter
FFAB	LBC7	200mm	RFAB	LBC7	300mm

Construction differences are noted below:

#### Group 1 Adding RFAB + Clark adding CDAT A/T:

No Material differences between sites

#### Group 2 Adding RFAB + MLA adding CDAT A/T Site, BOM Change:

	MLA	CDAT
Mount Compound	4207768	4207123
Mold Compound	4208625	4222198

In addition, the datasheet number will be changing for the devices listed in group 3:

Device Family	Change From:	Change To:
TPS22930A	SLVSBL3C	SLVSBL3D



TPS22930  
SLVSBL3D – NOVEMBER 2012 – REVISED JULY 2021

#### Changes from Revision C (January 2021) to Revision D (July 2021)

Page

- Updated  $I_{RCP(Leak)}$  spec to 2.6  $\mu A$ .....5

These changes may be reviewed at the datasheet links provided.

<https://www.ti.com/product/TPS22930>

Qual details are provided in the Qual Data Section.

#### Reason for Change:

Continuity of Supply

**Anticipated impact on Form, Fit, Function, Quality or Reliability (positive / negative):**

None

**Anticipated impact on Material Declaration**

<input type="checkbox"/>	No Impact to the Material Declaration	<input checked="" type="checkbox"/>	Material Declarations or Product Content reports are driven from production data and will be available following the production release. Upon production release the revised reports can be obtained from the <a href="#">TI ECO website</a> .
--------------------------	---------------------------------------	-------------------------------------	--

**Changes to product identification resulting from this PCN:****Fab Site Information:**

Chip Site	Chip Site Origin Code (20L)	Chip Site Country Code (21L)	Chip Site City
FR-BIP-1	TID	DEU	Freising
<b>RFAB</b>	<b>RFB</b>	<b>USA</b>	<b>Richardson</b>

**Assembly Site Information:**

Assembly Site	Assembly Site Origin (22L)	Assembly Country Code (23L)	Assembly City
TI Malaysia	MLA	MYS	Kuala Lumpur
TI Clark	QAB	PHL	Angeles City, Pampanga
<b>CDAT</b>	<b>CDA</b>	<b>CHN</b>	<b>Chengdu</b>

Sample product shipping label (not actual product label)

**Product Affected:****Group 1 Device List: Adding RFAB + TI-Clark adding CDAT A/T Site**

TPS62175DQCR	TPS62175DQCT	TPS62177DQCR	TPS62177DQCT
--------------	--------------	--------------	--------------

**Group 2 Device List: Adding RFAB + MLA adding CDAT A/T Site and BOM Change**

TCA6416ARTWR	TCA1116RTWR	TCA9539RTWR	TCA9555RTWR
--------------	-------------	-------------	-------------

**Group 3 Device List: Adding RFAB Wafer Fab site + Datasheet change**

TPS22930AYZVR	TPS22930AYZVT
---------------	---------------

**Group 4 Device List: Adding RFAB Wafer Fab site**

TLV7031DCKT	TPS7A8701RTJT	TPS7A8801RTJR	TPS7A8801RTJT
TPS7A8701RTJR			

## Qualification Report

Approve Date 6-October-2010

### Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	Test Name / Condition	Duration	Qual Device: TPS51217DSC
ED	Electrical Characterization	Per Datasheet Parameters	Pass
HAST	Biased HAST, 130C/85%RH	96 Hours	3/231/0
AC	Autoclave, 121C	96 Hours	3/231/0
HBM	ESD - HBM	2000 V	3/9/0
CDM	ESD - CDM	500 V	3/9/0
HTOL	Life Test, 135C	635 Hours	3/231/0
HTSL	High Temp. Storage Bake, 170C	420 Hours	3/231/0
LU	Latch-up	(per JESD78)	3/18/0
TC	Temperature Cycle, -65/150C	500 Cycles	3/18/0

- Qual Device TPS51217DSC is qualified at LEVEL2-260C

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable
- The following are equivalent HTOL options based on an activation energy of 0.7eV: 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours
- The following are equivalent HTSL options based on an activation energy of 0.7eV: 150C/1k Hours, and 170C/420 Hours
- The following are equivalent Temp Cycle options per JESD47: -55C/125C/700 Cycles and -65C/150C/500 Cycles

Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>

**Green/Pb-free Status:**

Qualified Pb-Free (SMT) and Green

## Qualification Report

Approve Date 02-June-2021

### Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	Test Name / Condition	Duration	Qual Device: TCA6416ARTWR	Qual Device: TCA9555RTWR	Qual Device: TCA1116RTWR	Qual Device: TCA9539RTWR	QBS Package Reference: THS4552IRTW	QBS Package Reference: TMP116AIDRV
HAST	Biased HAST, 130C/85%RH	96 Hours	-	-	-	-	3/231/0	3/231/0
HTOL	Life Test, 150C	300 Hours	-	-	-	-	-	3/231/0
HTSL	High Temp Storage Bake 170C	420 Hours	-	-	-	-	3/231/0	-
SD	Solderability	PB Free	-	-	-	-	2/44/0	-
TC	Temperature Cycle, -65/150C	500 Cycles	-	-	-	-	3/231/0	3/231/0
UHAST	Unbiased HAST 130C/85%RH	96 Hours	-	-	-	-	3/231/0	3/231/0
WBP	Bond Pull	Wires	1/30/0	1/30/0	1/30/0	1/30/0	-	-
WBS	Ball Bond Shear	Wires	1/30/0	1/30/0	1/30/0	1/30/0	-	-

- Qual Device TCA6416ARTWR is qualified at LEVEL2-260C

- Qual Device TCA9555RTWR is qualified at LEVEL2-260C

- Qual Device TCA1116RTWR is qualified at LEVEL2-260C

- Qual Device TCA9539RTWR is qualified at LEVEL2-260C

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable

- The following are equivalent HTOL options based on an activation energy of 0.7eV: 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours

- The following are equivalent HTSL options based on an activation energy of 0.7eV: 150C/1k Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47: -55C/125C/700 Cycles and -65C/150C/500 Cycles

Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>

**Green/Pb-free Status:**

Qualified Pb-Free (SMT) and Green

For questions regarding this notice, e-mails can be sent to the contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	<a href="mailto:PCNAmericasContact@list.ti.com">PCNAmericasContact@list.ti.com</a>
Europe	<a href="mailto:PCNEuropeContact@list.ti.com">PCNEuropeContact@list.ti.com</a>
Asia Pacific	<a href="mailto:PCNAsiaContact@list.ti.com">PCNAsiaContact@list.ti.com</a>
WW PCN Team	<a href="mailto:PCN_ww_admin_team@list.ti.com">PCN_ww_admin_team@list.ti.com</a>

#### IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES “AS IS” AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI’s products are provided subject to TI’s Terms of Sale ([www.ti.com/legal/termsofsale.html](http://www.ti.com/legal/termsofsale.html)) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI’s provision of these resources does not expand or otherwise alter TI’s applicable warranties or warranty disclaimers for TI products.