

## 12500 TI Boulevard, MS 8640, Dallas, Texas 75243

#### Notification# 20220426003.0 Datasheet for TPS6513x Information Only

Date:April 27, 2022To:TOKYO ELECTRON DEVICE (DSTR) PCN

Dear Customer:

This is an information-only announcement of a change to the datasheet for a device that is currently offered by Texas Instruments.

The changes discussed within this notification are for your information only.

Any negotiated alternative change requirements will be provided via the customer's defined process. Customers with previously negotiated, special requirements will be handled separately. Any inquiries should be directed to your local Field Sales Representative.

For questions regarding this notice, contact your local Field Sales Representative or the PCN team (<u>PCN ww admin team@list.ti.com</u>).

Sincerely,

PCN Team SC Business Services

### Information Only Attachments

#### **Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
TPS65130RGER	null
TPS65131RGER	null
TPS65131RGET	null
TPS65130RGET	null

Technical details of this Product Change follow on the next page(s).

Notifi	ication Number:			003.0	Notification D	)at	e:	Ap	oril 27, 2022	
Title:										
		PCN Manag	<u>er</u>			D	ept		Quality Services	
	ge Type:			<b>.</b> .					D 011	
	ssembly Site			Design		┝┝			Bump Site	
	ssembly Process			Data Sheet		┟╞╸		Wafer Bump Material Wafer Bump Process		
Assembly Materials Mechanical Specification		Н	Part number change Test Site		┢┝╴		Wafer Fab Site			
Packing/Shipping/Labeling		П	Test Process			Wafer Fab Materials				
							V	Vafer	- Fab Process	
			No	otificatior	n Details					
	ription of Change									
The pr The fo	Instruments Incor roduct datasheet(s blowing change his	;) is being ι	upda	ated as sum	marized below		IOUI	ICallo		
Ų	Texas Instruments					SLV	S493E	– MAR	<b>TPS65130, TPS65131</b> CH 2004 – REVISED APRIL 2022	
	anges from Revision I Jpdated the numbering								Page	
	Changed ESD HBM sp Changed text string in \$								t 5 µA or greater" To	
• A • C 8	to set the divider cur Added Section 8.2.3 de Corrected typographic 6 3-46	rent at 5 μA to escription error in x-axis	o 10 Iabe	μA"	-39, Figure 8-40,	Figu	ıre 8	41, F		
• A • C 8 	to set the divider cur Added Section 8.2.3 de Corrected typographic 3-46 atasheet number w	rent at 5 μA to escription error in x-axis	o 10 Iabe	μA" els for Figure 8-	-39, Figure 8-40,	Figu	ıre 8	41, F	12 15 igure 8-45, and Figure 16	
• A • C 8 <u>Fhe da</u> Devic	to set the divider cur Added Section 8.2.3 de Corrected typographic 6 3-46 atasheet number w ce Family	rent at 5 μA to escription error in x-axis	o 10 Iabe	μA" els for Figure 8- g. Chan	-39, Figure 8-40,	Figu	Ire 8	41, F	12 15 igure 8-45, and Figure 16 e To:	
• A • C 8 <u>The da</u> Devic	to set the divider cur Added Section 8.2.3 de Corrected typographic 3-46 atasheet number w	rent at 5 μA to escription error in x-axis	o 10 Iabe	μA" els for Figure 8- g. Chan	-39, Figure 8-40,	Figu	Ire 8	41, F	12 15 igure 8-45, and Figure 16 e To:	
<ul> <li>A</li> <li>C</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>8</li> <li>9</li> <li>9</li> <li>8</li> <li>9</li> <li>9</li></ul>	to set the divider cur Added Section 8.2.3 de Corrected typographic 6 3-46 atasheet number w ce Family	rent at 5 µA to escription error in x-axis	ginc	μA" els for Figure 8 g. Chan SLVS	-39, Figure 8-40, 1 age From: 6493D	Figu	Ire 8	41, F	12 15 igure 8-45, and Figure 16 e To:	
<ul> <li>A</li> <li>C</li> <li>8</li> <li>C</li> <li>7</li> <li>8</li> <li>7</li> <li>7</li> <li>7</li> <li>7</li> <li>7</li> <li>7</li> <li>7</li> <li>7</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>7</li> <li>8</li> <li>7</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>8</li> <li>7</li> <li>8</li> <li>7</li> <li>8</li> <li>8</li> <li>9</li> <li>9</li></ul>	Lto set the divider cur Added Section 8.2.3 de Corrected typographic 6 3-46 atasheet number w ce Family 5513x	rent at 5 µA to escription error in x-axis vill be chan	ging	μA" els for Figure 8- g. Chan SLVS e datasheet I	-39, Figure 8-40, I ge From: 6493D inks provided.	Figu	Ire 8	41, F	12 15 igure 8-45, and Figure 16 e To:	
• A • C 8 <u>The da</u> Devic TPS6	Lto set the divider current Added Section 8.2.3 de Corrected typographic 6 3-46 atasheet number w ce Family 5513x e changes may be r	rent at 5 µA to escription error in x-axis vill be chan	ging	μA" els for Figure 8- g. Chan SLVS e datasheet I	-39, Figure 8-40, I ge From: 6493D inks provided.	Figu	Ire 8	41, F	12 15 igure 8-45, and Figure 16 e To:	
<ul> <li>A</li> <li>C</li> <li>B</li> <li>C</li> <li>The da</li> <li>Devia</li> <li>TPS6</li> </ul>	Lto set the divider cur Added Section 8.2.3 de Corrected typographic of atasheet number w ce Family 5513x e changes may be r //www.ti.com/produ	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651	o 10 labe ging	μA" els for Figure 8 g. Chan SLVS e datasheet 1 Error! Book	-39, Figure 8-40, I ge From: 6493D inks provided.	Figu	Ire 8	41, F	12 15 igure 8-45, and Figure 16 e To:	
The da Devic TPS6	Lto set the divider current Added Section 8.2.3 de Corrected typographic of atasheet number w ce Family 5513x e changes may be r <u>//www.ti.com/produ</u> on for Change: curately reflect dev	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651 vice charact	ginc the ceris	μA"	-39, Figure 8-40, 1 oge From: 6493D inks provided. mark not def	Figu	CI SI	41, F	12 15 igure 8-45, and Figure 16 e To:	
The da Device TPS6 These http:// Reaso To acc Antici No and to the	Ito set the divider current of the divider	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651 vice characto <b>Fit, Form</b> This is a spe	ginc sthe <u>s</u> ceris <b>, Fu</b> ecific	μA"	-39, Figure 8-40, Ige From: 3493D inks provided. mark not def ality or Relia le announceme	ine billi	CI SI d.	41, F nang _VS4 posi ⁄. Th	12 15 igure 8-45, and Figure 16 e To: 93E	
<ul> <li>A</li> <li>C</li> <li>B</li> <li>C</li> <li>B</li> <li>C</li> <li>C&lt;</li></ul>	to set the divider currents Added Section 8.2.3 de Corrected typographic of atasheet number w ce Family 5513x e changes may be r <u>//www.ti.com/produ</u> on for Change: curately reflect dev <b>ipated impact on</b> ticipated impact. T	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651 vice characto <b>Fit, Form</b> This is a spe	ginc sthe <u>s</u> ceris <b>, Fu</b> ecific	μA"	-39, Figure 8-40, Ige From: 3493D inks provided. mark not def ality or Relia le announceme	ine billi	CI SI d.	41, F nang _VS4 posi ⁄. Th	12 15 igure 8-45, and Figure 16 e To: 93E	
TPS6	Ito set the divider current of the divider	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651 vice characto <b>Fit, Form</b> This is a spe	ginc sthe <u>s</u> ceris <b>, Fu</b> ecific	μA"	-39, Figure 8-40, Ige From: 3493D inks provided. mark not def ality or Relia le announceme	ine billi	CI SI d.	41, F nang _VS4 posi ⁄. Th	12 15 igure 8-45, and Figure 16 e To: 93E	
<ul> <li>A</li> <li>C</li> <li>B</li> <li>C</li> <li>B</li> <li>C</li> <li>C&lt;</li></ul>	Ito set the divider current of the divider	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651 vice characto <b>Fit, Form</b> This is a spe	ginc sthe <u>s</u> ceris <b>, Fu</b> ecific	μA"	-39, Figure 8-40, Ige From: 3493D inks provided. mark not def ality or Relia le announceme	ine billi	CI SI d.	41, F nang _VS4 posi ⁄. Th	12 15 igure 8-45, and Figure 16 e To: 93E	
The da Device TPS6 These http:// Reaso To acco Antici No and to the Chang None. Produ	Ito set the divider current of the divider	rent at 5 µA to escription error in x-axis vill be chan reviewed at uct/TPS651 vice characto <b>Fit, Form</b> This is a spe	ging s the <u>30</u> E ceris <u>, Fu</u> ecific	μA"	-39, Figure 8-40, Ige From: 3493D inks provided. mark not def ality or Relia le announceme	Figu ine billi ent	CI SI d.	41, F	12 15 igure 8-45, and Figure 16 e To: 93E	

For questions regarding this notice, e-mails can be sent to the contacts shown below or your local Field Sales Representative.

Location	E-Mail
WW PCN Team	PCN ww admin team@list.ti.com

# **IMPORTANT NOTICE AND DISCLAIMER**

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<u>www.ti.com/legal/termsofsale.html</u>) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.