



12500 TI Boulevard, MS 8640, Dallas, Texas 75243

PCN20230327001.1

**Qualify additional Assembly site for select SOT-23 Package devices
Change Notification / Sample Request**

Date: March 29, 2023

To: TOKYO ELECTRON DEVICE (DSTR) PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

Texas Instruments requires acknowledgement of receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If samples or additional data are required, requests must be received within **30 days** of this notification.

The changes discussed within this PCN will not take effect any earlier than the proposed first ship date on Page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice or to provide acknowledgement of this PCN, you may contact your local Field Sales Representative or the PCN Team (PCN_ww_admin_team@list.ti.com). For sample requests or sample related questions, contact your local Field Sales Representative.

Sincerely,

PCN Team
SC Business Services

20230327001.1
Attachment: 1

Products Affected:

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

DEVICE	CUSTOMER PART NUMBER
LM3880MF-1AE/NOPB	null
OPA340NA/3K	null
REF3025AIDBZR	null
TPS60403DBVR	null
SN74LVC1G332DBVR	null
TPS60402DBVR	null
DRV5032ZEDBZR	null
INA196AIDBVR	null
TPS60400DBVR	null
SN74LVC1G373DBVR	null
LM3880MF-1AB/NOPB	null
SN74LVC1G14DBVR	null
SN74LVC1G374DBVR	null
INA181A2IDBVR	null
TMP100NA/3K	null
INA168NA/250	null
INA193AIDBVT	null
SN74LVC1G17DBVR	null
TPS60403DBVT	null

Technical details of this Product Change follow on the next page(s).

PCN Number:	20230327001.1		PCN Date:	March 29, 2023															
Title:	Qualify additional Assembly site for select SOT-23 Package devices																		
Customer Contact:	PCN Manager		Dept:	Quality Services															
Proposed 1st Ship Date:	June 28, 2023		Sample requests accepted until:	Apr 28, 2023															
*Sample requests received after (Apr. 28, 2023) will not be supported.																			
Change Type:																			
☒	Assembly Site	☐	Design	☐	Wafer Bump Material														
☒	Assembly Process	☐	Data Sheet	☐	Wafer Bump Process														
☒	Assembly Materials	☐	Part number change	☐	Wafer Fab Site														
☐	Mechanical Specification	☐	Test Site	☐	Wafer Fab Materials														
☒	Packing/Shipping/Labeling	☐	Test Process	☐	Wafer Fab Process														
PCN Details																			
Description of Change:																			
Texas Instruments Incorporated is announcing the qualification of additional Assembly sites for devices listed below in the product affected section. Construction differences and current assembly sites are as follows: <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="2" style="background-color: #f4a460;">SOT-23</th> </tr> </thead> <tbody> <tr> <td>Assembly Sites</td> <td>TFME, PHI, HNA, HFTFAT, ASEWH, CDAT, TIEMA</td> </tr> <tr> <td>Lead Finish</td> <td>NiPdAu, NiPdAuAg, Matte Sn</td> </tr> <tr> <td>Mount Compound</td> <td>A-09 A-03 4207123 400180 1120999A2 1120999A1 A-20</td> </tr> <tr> <td>Mold Compound</td> <td>450207 R-04 R-17 450413 4222198 450042 8097131</td> </tr> <tr> <td>Bond wire type</td> <td>Au, Cu</td> </tr> <tr> <td>Bond wire diameter</td> <td>15.24 UM (0.6 MIL) 20.3 UM (0.8 MIL) 25.4 UM (1.0 MIL) 33 UM (1.3 MIL) 50.8 UM (2.0 MIL)</td> </tr> </tbody> </table>						SOT-23		Assembly Sites	TFME, PHI, HNA, HFTFAT, ASEWH, CDAT, TIEMA	Lead Finish	NiPdAu, NiPdAuAg, Matte Sn	Mount Compound	A-09 A-03 4207123 400180 1120999A2 1120999A1 A-20	Mold Compound	450207 R-04 R-17 450413 4222198 450042 8097131	Bond wire type	Au, Cu	Bond wire diameter	15.24 UM (0.6 MIL) 20.3 UM (0.8 MIL) 25.4 UM (1.0 MIL) 33 UM (1.3 MIL) 50.8 UM (2.0 MIL)
SOT-23																			
Assembly Sites	TFME, PHI, HNA, HFTFAT, ASEWH, CDAT, TIEMA																		
Lead Finish	NiPdAu, NiPdAuAg, Matte Sn																		
Mount Compound	A-09 A-03 4207123 400180 1120999A2 1120999A1 A-20																		
Mold Compound	450207 R-04 R-17 450413 4222198 450042 8097131																		
Bond wire type	Au, Cu																		
Bond wire diameter	15.24 UM (0.6 MIL) 20.3 UM (0.8 MIL) 25.4 UM (1.0 MIL) 33 UM (1.3 MIL) 50.8 UM (2.0 MIL)																		
Reason for Change:																			
Continuity of Supply																			
Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):																			
None																			

Impact on Environmental Ratings

Checked boxes indicate the status of environmental ratings following implementation of this change. If below boxes are checked, there are no changes to the associated environmental ratings.

RoHS	REACH	Green Status	IEC 62474
☒ No Change	☒ No Change	☒ No Change	☒ No Change

Changes to product identification resulting from this PCN:

Assembly Site		
TFME	Assembly Site Origin (22L)	ASO: NFM
TI Philippines	Assembly Site Origin (22L)	ASO: PHI
Hana	Assembly Site Origin (22L)	ASO: HNT
ASEWH	Assembly Site Origin (22L)	ASO: AWH
HFTFAT	Assembly Site Origin (22L)	ASO: HFT
TI Chengdu	Assembly Site Origin (22L)	ASO: CDA
TI Melaka	Assembly Site Origin (22L)	ASO: CU6

Sample product shipping label (not actual product label)



Product Affected:

INA138NA/250	SN74LVC2G14DBVR	LM3880MFX-1AA/NOPB	DRV5021A2QDBZT
INA138NA/3K	SN74LVC2G17DBVR	LM3880MFX-1AB/NOPB	DRV5021A3QDBZR
INA168NA/250	SN74LVC2G34DBVR	LM3880MFX-1AC/NOPB	DRV5021A3QDBZT
INA168NA/3K	SN74LVC2GU04DBVR	LM3880MFX-1AD/NOPB	DRV5023AJQDBZR
INA193AIDBVR	SN74LVC2GU04DBVT	LM3880MFX-1AE/NOPB	DRV5023AJQDBZT
INA193AIDBVT	TLV61220DBVR	LM3880MFX-1AF/NOPB	DRV5023BIQDBZR
INA194AIDBVR	TLV61220DBVT	INA181A1IDBVR	DRV5023BIQDBZT
INA194AIDBVT	TMP100NA/250	INA181A1IDBVT	DRV5032AJDBZR
INA195AIDBVT	TMP100NA/3K	INA181A2IDBVR	DRV5032AJDBZT
INA196AIDBVR	TPD4E1U06DBVR	INA181A2IDBVT	DRV5032DUDBZR
INA196AIDBVT	TPS22917LDBVR	INA181A3IDBVR	DRV5032DUDBZT
INA197AIDBVR	TPS2513ADBVR	INA181A3IDBVT	DRV5032FADBZR
INA197AIDBVT	TPS2513ADBVT	INA181A4IDBVR	DRV5032FADBZT
INA198AIDBVT	TPS2513DBVR	INA181A4IDBVT	DRV5032FBDBZR
OPA340NA/250	TPS2513DBVT	LM2776DBVR	DRV5032FBDBZT
OPA340NA/3K	TPS2514ADBVR	LM2776DBVT	DRV5032FCDBZR
OPA365AIDBVR	TPS2514ADBVT	OPA322SAIDBVR	DRV5032FCDBZT
OPA365AIDBVT	TPS2552DBVR-1	OPA322SAIDBVT	DRV5032ZEDBZR
OPA376AIDBVR	TPS2552DBVT-1	REG710NA-3.3/250	DRV5032ZEDBZT
OPA376AIDBVT	TXS0101DBVR	REG710NA-3.3/3K	DRV5033AJQDBZR
SN74AUP1G04DBVR	TXS0101DBVT	REG710NA-5/250	DRV5033AJQDBZT

SN74AUP1G06DBVR	UCC27511DBVR	REG710NA-5/3K	DRV5033FAQDBZR
SN74AUP1G07DBVR	UCC27511DBVT	SN1511002DBVR	DRV5053CAQDBZR
SN74AUP1G17DBVR	UCC27531DBVR	SN74AUP1G57DBVR	DRV5053CAQDBZT
SN74LVC1G02DBVR	UCC27531DBVT	SN74AUP1G57DBVT	DRV5053EAQDBZR
SN74LVC1G02DBVT	UCC27532DBVR	SN74AUP1G58DBVR	DRV5053EAQDBZT
SN74LVC1G14DBVR	UCC27532DBVT	SN74AUP1G58DBVT	DRV5053OAQDBZR
SN74LVC1G17DBVR	UCC27538DBVR	SN74AUP1G97DBVR	DRV5053OAQDBZT
SN74LVC1G34DBVR	UCC27538DBVT	SN74AUP1G97DBVT	DRV5053PAQDBZR
TPS60400DBVR	UCC28704DBVR-1	SN74AUP1G98DBVR	DRV5053PAQDBZT
TPS60400DBVT	UCC28704DBVT-1	SN74AVC1T45DBVR	DRV5053RAQDBZR
TPS60401DBVR	UCC28742DBVR	SN74AVCH1T45DBVR	DRV5053RAQDBZT
TPS60401DBVT	UCC28742DBVT	SN74LVC1G11DBVR	DRV5053VAQDBZR
TPS60402DBVR	DRV5011ADDBZR	SN74LVC1G175DBVR	DRV5053VAQDBZT
TPS60402DBVT	DRV5011ADDBZT	SN74LVC1G19DBVR	DRV5056A6QDBZR
TPS60403DBVR	DRV5013ADEDBZR	SN74LVC1G19DBVT	DRV5056A6QDBZT
TPS60403DBVT	DRV5013ADQDBZR	SN74LVC1G27DBVR	REF3020AIDBZR
TPS7A0218DBVR	DRV5013ADQDBZT	SN74LVC1G332DBVR	REF3020AIDBZT
TPS7A0228DBVR	DRV5013AGQDBZR	SN74LVC1G373DBVR	REF3025AIDBZR
TPS7A0233DBVR	DRV5013AGQDBZT	SN74LVC1G374DBVR	REF3025AIDBZT
LM3880MF-1AA/NOPB	DRV5013BCQDBZR	SN74LVC1G57DBVR	REF3030AIDBZR
LM3880MF-1AB/NOPB	DRV5013BCQDBZT	SN74LVC1G58DBVR	REF3030AIDBZT
LM3880MF-1AC/NOPB	DRV5013FAQDBZR	SN74LVC1G97DBVR	REF3033AIDBZR
LM3880MF-1AD/NOPB	DRV5015A1QDBZR	SN74LVC1G98DBVR	REF3033AIDBZT
LM3880MF-1AE/NOPB	DRV5015A1QDBZT	SN74LVC1G98DBVT	REF3040AIDBZR
LM3880MF-1AF/NOPB	DRV5015A2QDBZR	SN74LVC1GX04DBVR	REF3040AIDBZT
LM3880MFE-1AA/NOPB	DRV5015A2QDBZT	SN74LVC1GX04DBVT	TLV803EA30DBZR
LM3880MFE-1AB/NOPB	DRV5015A3QDBZR	SN74LVC1T45DBVR	TLV809EA17DBZR
LM3880MFE-1AC/NOPB	DRV5015A3QDBZT	SN74LVC1T45DBVT	TMAG5231B1DQDBZR
LM3880MFE-1AD/NOPB	DRV5021A1QDBZR	SN74LVC2G04DBVR	
LM3880MFE-1AE/NOPB	DRV5021A1QDBZT	SN74LVC2G06DBVR	
SN74LVC2G07DBVR	LM3880MFE-1AF/NOPB	DRV5021A2QDBZR	

Qualification Report (SOT-23)

Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

	Stress Test	Duration	PHI TPS76933DEV	CDAT TLV90611DEV
TC	Temperature Cycling -65/150C Or Temperature Cycling -55/150C Or Temperature Cycling -55/125C	500 Cycles Or 1000 Cycles Or 700 Cycles	3/231/0	3/231/0
HAST/T	Biased HAST 130C/85%RH	96 hours	3/231/0	3/231/0

	Stress Test	Duration	PHI TPS76933DBV	CDAT TLV90611DBV
HB	Or Biased HAST 110C/85%RH Or Temperature Humidity Bias, 85C/85%RH	Or 264 hours Or 1000 hours		
HTSL	High Temp. Storage Bake 150C Or High Temp. Storage Bake 170C	1000 hours Or 420 hours	3/231/0	3/231/0
AC/ UHA	Autoclave 121C Or Unbiased HAST, 130C/85%RH	96 hours	3/231/0	3/231/0
SD	Solderability	8 Hour Steam age or 155C Dry Bake	3/66/0	3/66/0
MQ	Manufacturability	-	Pass	Pass

	Stress Test	Duration	TFME SN74AHC1G14DBV	HNA INA293A11DBV
TC	Temperature Cycling -65/150C Or Temperature Cycling -55/150C Or Temperature Cycling -55/125C	500 Cycles Or 1000 Cycles Or 700 Cycles	3/231/0	3/231/0
HAST/T HB	Biased HAST 130C/85%RH Or Biased HAST 110C/85%RH Or Temperature Humidity Bias, 85C/85%RH	96 hours Or 264 hours Or 1000 hours	3/231/0	3/231/0
HTSL	High Temp. Storage Bake 150C Or High Temp. Storage Bake 170C	1000 hours Or 420 hours	3/231/0	3/231/0
AC/ UHA	Autoclave 121C Or Unbiased HAST, 130C/85%RH	96 hours	3/231/0	3/231/0
SD	Solderability	8 Hour Steam age or 155C Dry Bake	3/66/0	3/66/0 (SN74LVC1GU04DBV)
MQ	Manufacturability	-	Pass	Pass

	Stress Test	Duration	TIEMA DAC121S101CIMK	HFTAT TLV70333DBV	ASEWH TL431CDBV
TC	Temperature Cycling -65/150C Or Temperature Cycling -55/150C Or Temperature Cycling -55/125C	500 Cycles Or 1000 Cycles Or 700 Cycles	3/231/0	3/231/0	3/231/0
HAST/T HB	Biased HAST 130C/85%RH Or Biased HAST 110C/85%RH Or Temperature Humidity Bias, 85C/85%RH	96 hours Or 264 hours Or 1000 hours	3/231/0	3/231/0	3/231/0

	Stress Test	Duration	TIEMA DAC121S101CIM K	HFTAT TLV70333DBV	ASEWH TL431CDBV
HTSL	High Temp. Storage Bake 150C Or High Temp. Storage Bake 170C	1000 hours Or 420 hours	3/231/0	3/231/0	3/231/0
AC/ UHA ST	Autoclave 121C Or Unbiased HAST, 130C/85%RH	96 hours	3/231/0	3/231/0	3/231/0
SD	Solderability	8 Hour Steam age or 155C Dry Bake	3/66/0 (LM2660MM/NOPB)	3/66/0 (TLV74333PDBV)	3/66/0
MQ	Manufacturability	-	Pass	Pass	Pass

All qualification devices in the tables are qualified at L1-260C MSL rating.

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, and HTSL, as applicable
 - The following are equivalent HTSL options based on activation energy of 0.7eV: 150C/1k Hours, and 170C/420 Hours
- Quality and Environmental data is available at TI's external Web site: <http://www.ti.com/>
Green/Pb-free Status: Qualified Pb-Free (SMT) and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.